New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Monmouth County Residents

	,	Adult/Adolescent *	Pediatric *		otal
1.	Current HIV/AIDS Category	Cases %	Cases %	Cases	용
	AIDS-Any OI AIDS-CD4 Only HIV Only	228 15 563 38 681 46	12 41 0 0 17 59	240 563 698	16 38 47
	Total	1472 100	29 100	1501	100
2.	Current Age * Cases %	3. Race/Eth.		Pediatric* T Cases % Case	
	<5 # # 5-12 28 2 13-19 18 1 20-29 49 3	White, Not Hispanic Black, Not Hispanic Hispanic Other/Unknown	575 39 686 47 # # # #	5 17 5 23 79 7 # # 1 # #	80 39 09 47 90 13 22 1
	30-39 393 26 40-49 645 43 50+ 367 24 Unk. # #	Total	1472 100		01 100
	Total 1501 100				
4.	Patient Group	Adult/A	Adolescent Tran	smission Modes	**
		Males %	Female		otal %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	324 37 273 31 56 6 123 14 99 11	0 217 0 269 96	0 37 0 46 16	324 22 490 34 56 4 392 27 195 13
	Total	875 100	582		1457 100
		Males %	ediatric Transm Female	s % T	otal %
	Parent at risk/has AIDS/HIV Risk not reported/other***	21 100 0 0	0	100	44 100 0 0
	Total	21 100	23	100	44 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2003.
- ** 15 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Monmouth County Residents

Adult/Adolescent*

1.	Disease Ca	ategory	Cases	(%)	Deaths (%)	Cases (%) Death	s (%)	Cases (응)	Deaths (%)
	PCP		50	5 (27)	493 (84)	14 (3	3) 0	(64)	609 (201	502 (83)
		/ - Dan		, ,	, ,	,	•	, ,	•	,	, ,
	Other OI w	V/O PCP		1 (26)	465 (82)	29 (6	•	(45)	•	27)	478 (80)
	KS Alone		3	7 (2)	26 (72)	0 (0) 0	(.)	37 (2)	26 (72)
	No Disease	e Listed	96	8 (45)	405 (43)	0 (0) 0	(.)	968 (44)	405 (43)
	Total		217	1 (100)	1389 (65)	43 (10	0) 22	(51)	2214 (1	.00)	1411 (65)
0			0	2 5	(=,)	Adult/Adl*	Pediatr		Total	0	
2.	Age *	Cases	용	3. Race	/Eth.	Cases %	Cases	8	Cases	용	
	Under 5	39	2	Whit	e, Not Hispanic	1006 46	7	16	1013	46	
	5-12	#	#	Blac	k, Not Hispanic	960 44	31	72	991	45	
	13-19	8	0	Hisp	anic	193 9	5	12	198	9	
	20-29	284	13	Othe	r/Unknown	12 1	0	0	12	1	
	30-39	985	44								
	40-49	621	28	Tota	1	2171 100	43	100	2214	100	

Pediatric*

Total

Over 49 Unknown -----Total

621 28 273 12 # #

2214 100

Patient Group	Adult/Adolescent Transmission Modes **									
Ma	ales	용	Females	용	Total	용				
Men sex with men (MSM)	490	33	0	0	490	23				
Injection drug user (IDU)	646	43	318	47	964	44				
MSM/IDU	105	7	0	0	105	5				
Heterosexual contact	132	9	274	41	406	19				
Risk not reported/other***	126	8	78	12	204	9				
Total	1499	100	670	100	2169	100				

		odes				
	Males	용	Females	용	Total	용
Parent at risk/has AIDS/HIV	21	95	23	100	44	98
Risk not reported/other***	#	#	0	0	#	#
Total	22	100	23	100	45	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of AIDS diagnosis.

^{** 2} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

 $[\]ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Monmouth County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Deaths	Case-Fatality Rate
Before 1985	12	11	92%
1985	24	22	92%
1986	36	33	92%
1987	68	67	99%
1988	91	87	96%
1989	139	129	93%
1990	148	138	93%
1991	160	141	88%
1992	195	166	85%
1993	250	202	81%
1994	182	116	64%
1995	204	103	50%
1996	145	54	37%
1997	126	44	35%
1998	90	30	33%
1999	79	20	25%
2000	104	24	23%
2001	64	11	17%
2002	65	12	18%
2003	32	#	#
Total	2214	1411	64%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Monmouth County Residents

					Adult/	Adl*	Pediat	ric*	Total	
1.	Age *	Cases	%	2. Race/Ethnicity	Cases	용	Cases	용	Cases	%
	Under 5	19	2	White, Not Hispanic	#	#	#	#	278	34
	5-12	#	#	Black, Not Hispanic	414		18	82	432	53
	13-19	#	#	Hispanic	91	11	0	0	91	11
	20-29	193	24	Other/Unknown	#	#	#	#	17	2
	30-39	327	40							
	40-49	197	24	Total	796	100	22	100	818	100
	Over 49	64	8							
	Unknown	0	0							
	Total	818	100							
3.	Patient Grow	ıp		Adu	lt/Adole:	scent '	[ransmissi	on Mode:	s **	
				Males	8	Fer	males %		Total %	

Patient Group	Adult/Adolescent Transmission Modes **									
•	Males	%	Females	%	Total	용				
Men sex with men (MSM)	145	31		0	145	18				
Injection drug user (IDU)	178	38	125	39	303	38				
MSM/IDU	26	6	0	0	26	3				
Heterosexual contact	59	13	143	44	202	25				
Risk not reported/other***	64	14	56	17	120	15				
Total	472	100	324	100	796	100				
		Pedia	tric Transmis	ssion Mod	des					
	Males	양	Females	용	Total	ે				
Parent at risk/has AIDS/HIV	9	100	13	100	22	100				
Risk not reported/other***	0	0	0	0	0	0				
Total	9	100	1.3	100	22	100				

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Monmouth County Residents

1.		IV/AIDS Ca			Cases	lescent *	Cas	es				Total es	용	
	AIDS-Any (AIDS-CD4 (HIV Only	Only			1202 # #	41 # #			 66 # 		8	46 68	41 32 27	
	Total				2965			67	100				100	
2.	_	Cases					Adult/ Cases	용	Cas	ses	ric*		Cases	tal %
	Under 5 5-12 13-19 20-29 30-39	60 7 29 573 1328	2 0 1 19	W B H C	Black, No Hispanic	t Hispanic t Hispanic nown		43 46 10 1		5	18 75 7 0		1291 1423 289 29	43 47 10 1
	40-49 Over 49 Unknown	726 309 0	24 10 0	T	Potal		2965	100		67	100		3032	
	Total	3032	100											
4.	Patient G	roup				Ad Males	ult/Adole %		Transm Temales				96	
	Men sex w Injection MSM/IDU Heterosex Risk not	ith men (M drug user ual contac reported/o	SM) (IDU) t ther***			824 131 191 190	32 42 7 10 10		443 0 417 134	0 45 0 42 13		131 608 324	21 43 4 21 11	
	Total					1971		-	994			2965		
						Males	용	E	Transmis Temales	용		Total		
	Parent at Risk not	risk/has reported/o	AIDS/HI ther***			30 #	97 #			100		66	99 #	

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

31 100 36 100 67 100

 $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Monmouth County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	20	19	95%
1985	50	40	80%
1986	87	72	83%
1987	109	95	87%
1988	143	124	87%
1989	221	183	83%
1990	241	188	78%
1991	240	159	66%
1992	291	162	56%
1993	280	146	52%
1994	234	99	42%
1995	217	75	35%
1996	179	56	31%
1997	163	36	22%
1998	110	23	21%
1999	82	19	23%
2000	124	16	13%
2001	99	10	10%
2002	91	9	10%
2003	51	0	0%
Total	3032	1531	50%